



# SAFETY DATA SHEET

Revision Date 28-May-2015

Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product Identifier

**Product Name** Foremost 575-ES Deo Mist (French Café) Aerosol  
UN1950  
**UN/ID No**  
**Product Code** 575-ES

### Recommended Use of the Chemical and Restrictions on Use

**Recommended Use** Air Freshener.

### Details of the Supplier of the Safety Data Sheet

#### **Supplier Address**

Delta Foremost Chemical Corporation  
3915 Air Park St.  
Memphis, Tennessee 38118

#### **Emergency Telephone Number**

**Company Phone Number** (901) 363-4340  
**Emergency Telephone** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

### Classification

Serious Eye Damage/Eye Irritation	Category 2A
Flammable Aerosols	Category 1
Specific Target Organ Toxicity – Single Exposure	Category 3

### Signal Word

**DANGER**

### Hazard Statements

Causes serious eye irritation  
Extremely flammable aerosol  
May cause drowsiness or dizziness



**Appearance** Clear, colorless liquid

**Physical State** Liquid

**Odor** Pleasant

**Precautionary Statements - Prevention**

Use personal protective equipment as required  
Use only outdoors or in a well-ventilated area  
Wash face, hands and any exposed skin thoroughly after handling  
Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
Keep container tightly closed.  
Do not spray on an open flame or other ignition source  
Pressurized container. Do not pierce or burn, even after use.  
Protect from sunlight. Do not expose to temperatures exceeding 122°F.  
Avoid breathing mist or vapor.

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Get medical attention if irritation occurs  
IF ON SKIN: Wash with plenty of soap and water  
If skin irritation persists: Get medical advice/attention  
Take off contaminated clothing and wash it before reuse  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
Do NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up  
Store in a well-ventilated place. Keep container tightly closed  
Protect from sunlight. Do not expose to temperatures exceeding 50°C.

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards Not Otherwise Classified (HNOC)**

May be harmful if swallowed

**Other Hazards**

None.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Acetone	67-64-1	Proprietary
Butane	106-97-8	Proprietary
Propane	74-98-6	Proprietary

Product contains a proprietary mixture of ingredients.

**4. FIRST AID MEASURES****First Aid Measures****General Advice**

If exposed or concerned: Get medical advice/attention. Provide this SDS to medical personnel for treatment.

**Eye Contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation occurs.

<b>Skin Contact</b>	Flush with water while removing contaminated clothing and shoes before reuse. If irritation persists, get medical attention.
<b>Inhalation</b>	Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. If symptoms persist, call a physician.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Seek medical attention immediately.

**Most Important Symptoms and Effects, both Acute and Delayed**

<b>Symptoms</b>	Liquid in eyes can cause pain and irritation. Corneal injury likely. May cause skin and eye irritation. Ingestion may result in irritation of mouth and gastrointestinal tract. Vomiting may cause chemical pneumonia. Overexposure by inhalation can cause irritation of the respiratory tract and adverse effects on the central nervous system. High concentrations or prolonged exposure can cause unconsciousness and death.
-----------------	---

**Indication of any Immediate Medical Attention and Special Treatment Needed**

<b>Note to Physicians</b>	Treat symptomatically.
---------------------------	------------------------

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Dry chemical, foam, or carbon dioxide.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Contents under pressure. Pressurized container may explode when exposed to heat or flame.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal Precautions, Protective Equipment and Emergency Procedures**

<b>Personal Precautions</b>	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin and eyes and inhalation of vapors.
-----------------------------	--

**Methods and Material for Containment and Cleaning Up**

<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so. Absorb liquid with sawdust, sand or industrial absorbent.
<b>Methods for Cleaning Up</b>	Sweep up absorbed material and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS.

## 7. HANDLING AND STORAGE

### Precautions for Safe Handling

#### **Advice on Safe Handling**

Pressurized container. Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Ground and bond containers when transferring material. Do not re-use empty containers. Avoid contact with skin, eyes or clothing. Avoid breathing vapors. Avoid breathing mists. Use only in well-ventilated areas. Avoid prolonged exposure. Observe good industrial hygiene practices.

### Conditions for Safe Storage, Including any Incompatibilities

#### **Storage Conditions**

Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep in properly labeled containers. Store locked up.

#### **Incompatible Materials**

Oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetone 67-64-1	STEL: 750 ppm TWA: 500 ppm	TWA: 1000 ppm TWA: 2400 mg/m <sup>3</sup> (vacated) TWA: 750 ppm (vacated) TWA: 1800 mg/m <sup>3</sup> (vacated) STEL: 2400 mg/m <sup>3</sup> The acetone STEL does not apply to the cellulose acetate fiber industry. It is in effect for all other sectors (vacated) STEL: 1000 ppm	IDLH: 2500 ppm TWA: 250 ppm TWA: 590 mg/m <sup>3</sup>
Butane 106-97-8	STEL: 1,000 ppm	-	TWA: 800 ppm TWA: 1,900 mg/m <sup>3</sup>
Propane 74-98-6	-	TWA: 1,000 ppm TWA: 1,800 mg/m <sup>3</sup>	TWA: 1,000 ppm TWA: 1,800 mg/m <sup>3</sup>

### Appropriate Engineering Controls

#### **Engineering Controls**

Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS.

### Individual Protection Measures, such as Personal Protective Equipment

#### **Eye/Face Protection**

Goggles or face shield.

#### **Skin and Body Protection**

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear protective Neoprene™ gloves, Rubber gloves.

#### **Respiratory Protection**

Use self-contained breathing apparatus if there is a heavy vapor about 300 ppm.

#### **General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice. Wash hands after use and wash contaminated clothes before reuse.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

<b>Physical State</b>	Liquid / aerosol	<b>Odor</b>	Pleasant
<b>Appearance</b>	Clear liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Colorless		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not determined	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	82°F	
Flash Point	Not determined	
Evaporation Rate	>1	
Flammability (Solid, Gas)	Not determined	
Upper Flammability Limits	9.5%	
Lower Flammability Limit	1.9%	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	0.172	(1=Water)
Water Solubility	Insoluble in water	
Solubility in Other Solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

### Conditions to Avoid

Avoid heat, sparks, open flames and other ignition sources.

### Incompatible Materials

Acids, oxidizing agents.

### Hazardous Decomposition Products

No hazardous decomposition products are known.

## 11. TOXICOLOGICAL INFORMATION

### Information on Likely Routes of Exposure

#### **Product Information**

#### **Eye Contact**

Causes serious eye irritation.

<b>Skin Contact</b>	No irritation expected.
<b>Inhalation</b>	Prolonged inhalation may be harmful.
<b>Ingestion</b>	Expected to be a low ingestion hazard.

**Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Acetone 67-64-1	= 5800 mg/kg ( Rat )	-	-
Butane 106-97-8	= 1,658 mg/kg ( Rat )	-	= 1,355 mg/L ( Rat ) 2 h
Propane 74-98-6	-	-	= 1,237 mg/L ( Mouse ) 120 min = 1,355 mg/L ( Rat ) 4 h

**Information on Physical, Chemical and Toxicological Effects**

<b>Symptoms</b>	Please see section 4 of this SDS for symptoms.
-----------------	--

**Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure**

<b>Germ Cell Mutagenicity</b>	None.
<b>Carcinogenicity</b>	None.
<b>STOT - Single Exposure</b>	May cause drowsiness or dizziness.
<b>Chronic Toxicity</b>	Prolonged inhalation may be harmful.
<b>Aspiration Hazard</b>	Not likely.

**Numerical Measures of Toxicity**

Not determined

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Toxic to aquatic life with long lasting effects.

**Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Acetone 67-64-1		4.74 - 6.33: 96 h Oncorhynchus mykiss mL/L LC50 6210 - 8120: 96 h Pimephales promelas mg/L LC50 static 8300: 96 h Lepomis macrochirus mg/L LC50	EC50 = 14500 mg/L 15 min	10294 - 17704: 48 h Daphnia magna mg/L EC50 Static 12600 - 12700: 48 h Daphnia magna mg/L EC50

**Persistence and Degradability**

Not determined.

**Bioaccumulation**

Not determined

**Mobility**

Chemical Name	Partition Coefficient
Acetone 67-64-1	-0.24
Butane 106-97-8	2.89
Propane 74-98-6	2.36

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations. Do not puncture, incinerate, or crush.

**Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations. Do not puncture, incinerate, or crush.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Acetone 67-64-1		Included in waste stream: F039		U002

**14. TRANSPORT INFORMATION****Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT**

UN/ID No UN1950  
 Proper Shipping Name Aerosols  
 Hazard Class 2.1  
 Packing Group N/A

**IATA**

UN/ID No UN1950  
 Proper Shipping Name Aerosols  
 Hazard Class 2.1  
 Packing Group N/A

**IMDG**

UN/ID No UN1950  
 Proper Shipping Name Aerosols  
 Hazard Class 2.1  
 Packing Group N/A

**15. REGULATORY INFORMATION****International Inventories**

Not Determined

**Legend:***TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

*ENCS - Japan Existing and New Chemical Substances**IECSC - China Inventory of Existing Chemical Substances**KECL - Korean Existing and Evaluated Chemical Substances**PICCS - Philippines Inventory of Chemicals and Chemical Substances***US Federal Regulations****CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Acetone 67-64-1	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

**SARA 313**

Not determined.

**CAA (Clean Air Act)**

Butane, CAS No. 106-97-8

Propane, CAS No. 74-98-6

**US State Regulations****U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Acetone 67-64-1	X	X	X
Butane 106-97-8	X	X	X
Propane 74-98-6	X	X	X

**16. OTHER INFORMATION****NFPA****Health Hazards**

1

**Flammability**

4

**Instability**

0

**Special Hazards**

Not determined

**HMIS****Health Hazards**

1

**Flammability**

4

**Physical Hazards**

0

**Personal Protection**

Not determined

Revision Date

28-May-2015

Revision Note

New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**